



Connectable label printer for your business

PT-D610BT



Connectable label printer for your business

Transform your business with a professional label printer from Brother. From large office spaces to retail and wider business environments, the PT-D610BT model offers a compact, easy-to-use label printer which prints crisp, laminated labels and comes with additional Bluetooth connectivity. The PT-D610BT is perfect for organising files and folders, asset management and creating visitor name tags in the office or conveying product information and creating inventory tracking labels in a retail store.

PT-D610BT



Key features:

- Create labels using the built-in keyboard, download the Brother iPrint&Label app and use your smart device or connect to a computer via USB for additional labelling functionality using P-touch Editor software
- Full colour, high-resolution back-lit display
- Fast print speeds and automatic tape cutter for high-volume jobs
- High print resolution for crisp barcodes, graphics and logos when connected to a computer
- Store up to 99 labels for quick reprinting
- Print on label tapes up to 24mm wide
- Includes tape cassette, AC adapter and USB cable

Perfect for standalone use

With a built-in QWERTY keyboard and large graphical display which includes print preview, the PT-D610BT model is user-friendly and designed for ease-of-use, fast typing and optimal desktop handling.

Expanded options for creating labels

The PT-D610BT label printer is perfect for straightforward standalone use, as well as PC/smartphone connectable which offers additional label design functionality when paired with the iPrint&Label app, plus Brother's own P-touch Editor software. These applications provide expanded options for creating labels beyond basic usage, including specially designed, ready-made templates and the option to create fully customised labels. Include your own logo, symbols, barcodes and much more.

General

Carton contents

- Label printer
- AC Adapter
- USB cable (1m micro, black)
- Black on white laminated TZe sample tape (24mm x 4m)

Language support

20 (English, German, French, Spanish, Portuguese, Portuguese (Bra), Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish)

Weights and dimensions

Machine only (W) x (D) x (H)

202mm x 199mm x 87mm

Weight (Kg)

1.00Kg

Printing

Maximum resolution

180 dpi / 128 dots

Supports tape widths

3.5, 6, 9, 12, 18, 24mm

Cutter

Auto

Maximum print speed

30mm/sec

Maximum print height

18mm

Cutter type

Scissors

Design

Design type

Desktop

Keyboard

QWERTY, QWERTZ, AZERTY

Key print

Icon

Housing colour

Black

Keyboard material

Rubber

Number key

Num key

Number of keys

65

Display

LCD size

80mm x 30mm

Preview

Label View, Print Preview

Backlight

Yes

LCD specification

Graphic (320 x 120 dots)

Text viewable within LCD

20 characters x 2 lines

Power supply

Batteries

AA x 6 pcs
(LR6 / Ni-MH x 6 pcs)
Not included

AC adapter

AD-E001A

Auto power off

AC Adapter
(OFF / 1hr. / 2hr. / 4hr. / 8hr.)
AA batteries
(5min / 10min / 30min)

Interface

PC Connection

Yes

Interfaces

USB, Bluetooth

Bluetooth

Yes (5.0)

Software & app compatibility (label design)

Software

P-touch Editor
(version 6.0) For Win 8.1/10/11

App

Brother iPrint&Label
For iOS & Android

Compatible OS**Windows OS**

Win 8.1/10/11

Mac OS

Mac OS 10.15, 11, 12

iOS

14, 15

Android

8, 9, 10, 11, 12

**Software - CHRS
(Machine)****Number of characters
(without space)**

1108

**Number of
accented-alphabets**

146

Number of symbols

900

Character size

8 Kinds

(Auto/6/9/12/18/24/36/42/48pt)

Character widths

5 Kinds

(x2, x3/2, x1, x2/3, x1/2)

Fonts

17 kinds

(Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, Germany, LetterGothic, Istanbul, Dortmund, CopperplateTMed)

Character style

17 kinds

(Normal/Bold/Outline/Shadow/Solid/Italic/ Italic Bold/Italic Outline/Italic Shadow/Italic Solid/ Vertical/Vertical Bold/Underline/ Underline Bold/Underline + Italic/Underline + Bold + Italic/ Strikeout)

Frame

160

Underline

Yes (one of the styles)

Strikeout

Yes (one of the styles)

Barcode

9 kinds

(CODE39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128(UCC / EAN128), CODE128)

**Software - Label
(Machine)****Text buffer**

Maximum 280 characters

Multi Line printing (max)

7 lines

Multi block printing (max)

5 blocks

minimum label length

30mm

Tape length setting

Yes (30-300mm)

Tape margin settings

Small Margin, Large Margin, Chain, No Cut, Special Tape

Tab function

Yes

Tab length

Yes

Horizontal alignment

Left, Centre, Right, Just

Text insert / overwrite

Insert only

Line format

Yes

**Software - Memory
(Machine)****Memory**

280 characters x 99 areas

**Software - Printing
(Machine)****Copy (Repeat) printing**

Yes (1-99)

Mirror printing

Yes

Numbering

Yes (1-99)

Print preview

Yes

Vertical printing

Yes (in the style setting)

**Software - A/F
(Machine)****Cable marking**

Yes (in Auto Format)

Pre-set format

175 kinds

Rotate

Yes (in Auto Format)

Rotate & Repeat

Yes (in Auto Format)